


4.	RYCTIA	DATE 1 AUG 67 1145L
	MISSION UN 6/12	DATE I AUG 67 11 UCI
. :		

P	PIMARY
. ,	

				. •				0014411	
wission_	8×67	12	DATE _	AUG 6	7:0 11	456		PRIMAR	
ROINT	FOSITION	- TH	iic	70	Re	CEA WOO	ETA	Jughaians ,	
RAOL	ST C/C	- 17	165	-,	197	1	3+59	1908000000	
RBOI	13		58	281			4+08		was a washing of Beauty of
RBOZ	R013		58	580	215		4+09	\$ 4 7	er amounter manuel of Australia
RCOZ	14		44	277	210	+0.1	4+30		**** ** *******************************
RC03.	RO14		44	277		,	4+31		entre i gerblink nativajnj septe (nasi se i
RDOZ	ST DESC		37	276			4+44.		e a same men die j A fr
REOI	19 115		31	276			4+58	18-11 For Marke or Temperature Livings (1)	
-						The second second second			
					The second of th				Marin and the state of the second
		-				To him for Arrismati new security		or the print of the second sec	The state of the s
Parks of majorators or some narrows and parks are some		- Market Contract of Spine and Addition						P20 com qualific (production over promps trium), as	en delt fein im elfan mannen manne.
Angularization designs from the principle of the first				4					× 1 2 1
		er en e						The second section is a second second section second section s	A MALON THE ORIGINAL MALON AND A
nor manufactures de manue.			MISSING WAS					The second section of the second	
-			To major to the local language of the					Name - A comment of the state o	Andrewsky special spec
		Please - prints darlings as yes				-		and the second s	
			i		and a second of the second of				Make majorith propagate Special action and a segment
				- {		1		*	The second secon
No. of the second second				ģ.			the said		1 1 1 1 1 1 1
					,				
			·		1				en a manual de preseguado aspes gar
na integer a fore or every			-						
		4						1	on the same section of the
				1	-				
				1.			1	2000	- married policy of the same and an arrange of the same

			*.			÷	SECONDARY
MISION:	BX6712	DATE	AUG 67	. 12	45 L		
COLNT	PESITION TH	He	Zii	100	CHANGE	ETA	LEHARKS :
9101	ST C/C	70	185	205	-0,0	2+38	·
9301	09	68	279	202	-0.0	2+41	ng ayaa qaan (<u>qaanaggagaan</u> angina) dagan mada waxayada garan a
Q B02	R009	66	274	315	-0.0	2+47	· · · · · · · · · · · · · · · · · · ·
QC01	10	67	266	307	+0.1	2+56	
QC02	ROID	68	266	057	+0.1	3+01	
	ST DESC	68	269			3+04	
QEOI	A.	67	276	068	-0.0	3+15	
QFOI		66	277	069	-0,0	3+17	
	- 70 - 10 - 10 - 10						The second secon
RAOI	ST C/C	50	581	196	-0.0	3+59	Security of the control of the contr
RBOI	13	44	281		-0.0	1	
RBOZ	The state of the s	43	281		Y	4+09	
RC02		30	281			4+30	1
RG03	and the state of t	30				4+31	
	ST DESC	23		4- 10-24-2		4+44	
the state of the s	KADENA	18	282			4+58	
NIPPI							man one demonstration of the contract of the c
				ton trader to include			
				er war i nagender ar denglick y an i a			
distribution of the temperature of temperature of the temperature of temperatu				Cap age of the control	inter landariana (no concessor)		
	and special framework in the state of the st			and a separate of the second second second			
				tiga manga suka mulayi A			
La phone Commence		ALEXANDER ACTION		and the same of the same of			
		nagearile - system on marily it as					
Separate Acre Series State or females				market assessed to Consider provinces			

FROM: DET 4, 313TH ADIV TO: AFSSO 313TH ADIV 25X1A TOP SECRET BLACKSHIELD 25X1A 25X1A A. MISSION NUMBER: BX 67/2 25X1A B. PRIMARY CALL SIGN: PRIMARY TAKE OFF TIME 01/02452 SPARE TAKE OFF TIME 01/03452



,	-	983	×)	September 6: 15 mai 1857 1	XEBO			^t
·			•	, :			· . e	
, , , , , , , , , , , , , , , , , , , ,		OBO	ox.	.,	Adds)	and the second second		12403
		•	2022		0837)	. د دیو دیده په په په	ے میں الگلیدی وجاد ہے۔ معرفی الگلیدی وجاد ہے۔	0033
	,	****	TOP	SECRE	T .			
	. (.)			•		(PAGE 2)		
Ε.	PAC.	AF ORBIT CODE C	F THE DAY:	6000)		-	·
F.	TOP	OFF REFUELING	* %			ý .		
25X1A	1.	AR TRACK:	· ·	i		•	(6)	•
	2.	TIMES FOR DESC (BLOCK TIMES F						
	3.	BLOCK TIMES FO (H HOUR -3:15	R A/R AND ALT THRU H HOUR H	ritudes: ' + ete end	3/ <u>2330₹7</u> A/R +1:3	heuoi/ous. 0) (FL 250	2 2	1 <i>theoFL3.</i> 320)
	4.	BLOCK TIMES FO (H HOUR + END	R CLIMB TO FI A/R -:15 THRU	L450: 0//0 J H HOUR	<u>30ファフル</u> +1:30 + E	es 0/05 TE TO FL4:	<u>00</u> 군 50)	· · ·
25X1A	5.	UHF TANKER CAL		INID INNO		•		
i .	6.	PRIMARY UHF FR	EQUENCY: _3	89.0				
	7.	SECONDARY UHF	FREQUENCY:	394.0				
	8.	WX SCOUT-ALTIT	UDE: FL250 T	HRU, FL32	0.			
	9.	WX SCOUT MUST	DEPART AREÀ	. (.	N/A ARCT -:30	,		
FIR	ST ·RE	FUELING			127 2717	,	·	•
5X1A		AR TRACK:		_		., .,		
	2.	TIME FOR DESCE	TO FL450 -:15	THRU H	HOUR + ETI	E ARCP'+1:	:30)	
	3.	BLOCK TIMES FO (H HOUR -3:15	THRU H HOUR +	· ETE END	A/R +1:30	0) (FL250	THRU FL3	h <i>eu FL320</i> 20)
V	4.	BLOCK TIMES FOR	R CLIMB TO FI A/R -:15 THRU	.450: 0//0 H HOUR	14472 Th	ed 01/06 TE TO FL45	40 2	V
X1A	5. `.	UHF TANKER CALL						
	6.	PRIMARY UHF FR	EQUENCY:	284.0				
	7.	SECONDARY UHF	FREQUENCY:	296.0	<u> </u>	-		
•	8.	WX SCOUT ALTIT	UDE: FL250 T	HRU FL32	<u>).</u>			
•	9/	WX SCOUT MUST I	DEPART AREA:		104113	3	to the second	

TOP SECRET

سنشطسي		CODA KERO	
-		XEBO COOK	(og
•	• • •		
	3	TOP SECRET	
	¥,	(PAGE 3)	
SE(COND	REFUELING	
X1A	1.		322
	2.	TIME FOR DESCENT FROM 450 TO ARCP: 0//0543 Thau c/o745 (H HOUR + ETE TO FL450 -: 15 THRU H HOUR + ETE ARCP +1: 30)	
***	3.	(H HOUR -3:15 THRU H HOUR + ETE END AR +1:30) (FL250 THRU FL32)	Theol 0)
	4.	BLOCK TIMES FOR CLIMB TO FL450: 01/06082 Theu 01/080/2 (H HOUR + END AR -:15 THRU H HOUR 41:30 + ETE TO FL450)	
SX1A	5.	UHF TANKER CALL SIGN FOR THIS TRACK)	
5X1A	6.	PRIMARY UHF FREQUENCY:	
i .	7.	SECONDARY UHF FREQUENCY:	•
•	8.	WX SCOUT ALTITUDE: FL250 THRU FL320.	•
·	9.	WX SCOUT MUST DEPART AREA: (ARCT -: 30)	
- 1711	ERD R	EFUELINO -	
	7	AR TRACK:	
	2.	TIME FOR DESCENT FROM 450 TO ARCP: (H HOUR + ETE TO FL450 -:15 THRU H HOUR + ETE ARCP +1:30)	
	3.	BLOCK TIMES FOR AR AND ALTITUDES: (H HOUR -3 15 THRU H HOUR + ETE END AR +1:30) (FL250 THRU FL32)	0)
	4.	BLOCK TIMES FOR CLIME TO FL450 (H HOUR + END AR :15 THRU H HOUR +1:30 + ETE TO FL450)	
	5.	UHF TANKER CALL SIGN: (UHF TANKER CALL SIGN FOR THIS TRACK)	
	6.	PRIMARY UHF PREQUENCY:	
.)	7.	SECONDARY UHF FREQUENCY:	
	> 8.	WX SCOUT ALTITUDE: FL250 THRU FL320.	
,	9.	WX SCOUT MUST DEPART AREA: (ARCT :30)	
• *		(Allo)	
. :			
	•	TOP. SECRET	

Approved For Release 2001/07/12 : CIA-RDP69B00041Rp02300010002-1 SECRET (PAGE 4) TANKER/WEATHER SCOUT RECALL WORD: TANKER SPECIAL UHF CALL SIGN FOR 7TH AF CELL NR. 1: CELL NR. 2: THIS OCCURS, WE WILL ADVISE, AND ALL CONTROL TIMES FOR THE PRIMARY AIRCRAFT AND ALL EXIT TIMES FROM THE ARCP FOR THE TANKERS WILL SLIP ONE HOUR. ALL WX SCOUT CONTROL TIMES AND ALL ENTRY TIMES TO THE ARCP FOR THE TANKERS WILL REMAIN THE SAME. . J. INFO FOR SAC ADVON, 7TH AF. 25X1A 1. AR AREA: 2. TANKER CELL #1 ARRIVAL ARCP: TANKER CELL #2 ARRIVAL ARCP: 3. REFUELING ALTITUDES FL250 THRU FL320. TANKERS IN CELL NR. 1. _ TANKERS IN CELL NR. 2. K. REQUEST CONFIRMATION OF SUPPORT. REMARKS: NONE


Approved For Release 2001/07/12: CIA-RDP69B00041 R002300010002-1 T. O. P SECRET (PAGE 5) REQUEST RETRANSMISSION OF THIS MESSAGE ROUND ROBIN. END OF MESSAGE

T O P

Approved For Release 2001/07/12 : CIA-RDP69B00041R002300010002-1

SECRET

(RELEASER AND DATE/TIME)



Approved For Release 2001/07/12: CIA-RDP69B00041R002306670692-1 MATERIAL FOLDER CHECK LIST

BX 6712 | AUG

Carry

FLIGHT PLANS (COPIES) PRIMARY & SECONDARY

NAL 1004 & PROGRAM 1864 PRIM ONT
ACKAGE SHUTTER SETTINGS)
(EA)

2 INS LOADING SHEETS (ORIGINAL & COME-BACK COPIES)

FILM STRIPS OF ROUTE (2 EA)

SXIA

SSAGE (313 TH INFO)

PILOT BACK-UP MAPS ON FRAMES (2 SETS)

EMERGENCY MAP/COMMO CARD ON FRAME (2 SETS)

MAP STRIP OF ROUTE

MISC. NOTES CONCERNING MISSION

MISC. NOTES CONCERNING MISSION

MISSION MATERIAL FOLDER CHECK LIST

Approved For Release 2001/07/12: CIA-RDP69B00041R002300010002-1
T.O. | 8x 6712

25X1A

20592 0559

21412 064/
0820

2256

0915

• .			The same of the same the same of the same	XEBO	للماء والمراجع والمحاربات فطاعلة للا	
100000			9 7			Je
	and the state of t	CODY	in with a second second second second second second	COBÓ		
		<u>T</u>	OPSECR	ET		
FR	OM: Mis	ssion Coordina	itor	3/Jul 19	67	
			Notification			
	: (See					
Red	luest yo	ur attendance	at the Command	der's Briefin	g to be held	4
			ing Room on 15			
	215	L. The bri	efing concerns	the following		
			nd Number: B.			
SPECIFICAL TABLE AND BASIC CONTRACT			(H-Hour): 0	and the second second		
3.	Ground	Spare (H+1:00	0):	1 103452	1245 L.	
5X1A 4.	Bases:	Takeoff KAL	DENA Staging	,Lar	ding KADE	ENA
taran da an			/Comments: M	odified Bi	Jack Shie	
LA	NNEd	MSN #1		odified Bi	Jack Shie	4
<i>La</i> For	NNEJ THE COM	MSN II /		odified Bi	Jack Shie	
<i>La</i> For	THE COM	MSN I)	2			
FOR Miss	THE COM	MSN II /	ent Office		eipient,	
FOR Miss Offi CMDF DCO DCM	THE COM	MSN I)	2			
FOR Miss Offi CMDF DCO DCM DCS SECU	THE COM	MSN I)	ent Office DCOL DCOC/MC DCOMI DCOW COMMO			
FOR Miss Offi CMDF DCO DCM DCS	THE COM	MSN I) MANDER- rdinator	ent Office DCOL DCOC/MC DCOMI DCOWI DCOW	Time(L) Red	eipient	
FOR Miss Offi CMDF DCO DCM DCS SECU FLT	THE COM	MSN I) MANDER- rdinator	ent Office DCOL DCOC/MC DCOMI DCOW COMMO AFCS	Time(L) Red	elpient,	
FOR Miss Offi CMDF DCO DCM DCS SECU FLT	THE COM	MSN II) MANDER- rdinator me(L) Recipi	ent Office DCOL DCOC/MC DCOMI DCOW COMMO AFCS TTFC(SAC	Time(L) Red (Notif	eipient	
FOR Miss Offi CMDF DCO DCM DCS SECU FLT	THE COM	MSN I) MANDER- rdinator	ent Office DCOL DCOC/MC DCOMI DCOW COMMO AFCS TTFC(SAC	Time(L) Red (Notif	eipient	
FOR Miss Offi CMDF DCO DCM DCS SECU FLT	THE COM	MSN II) MANDER- rdinator me(L) Recipi	ent Office DCOL DCOC/MC DCOMI DCOW COMMO AFCS TTFC(SAC	Time(L) Red (Notif	eipient	

FRINUZGZG399

533/5326447 777-3

PT

XXXXX

S 25X1A

25X1A

7 0 F 5 0 F F T 5020427 CITS

25X1A

25X1A

EYES ONLY COMMANDER

25X1A

. PISSION PLENT MEG.

25X1A

25X1A MONTH VIET MAM

SEP IN LIEU SYST VI.

O. BACK-UP ACFT REQUIRED. BAME EQUIPMENT AS PARA F. FYCEPT

10 SWENT PRIMARY ACFT GROUND /A IN ABORTS THIS ALERT FOR MODIFIED:

PLACE SHIELD CANNED MSN NER 19. REQUEST CONTINUATION

CO CO-MO-GO CONTINGENT UPON MOVEMENT OF TRODUCAL STORM FRAN TOWARD HAIMAN IFLAND. HOS WILL CONTINUE CLOSE OBSERVATION OF FTOR .

TOPRESALT

25X1A

Next 3 Page(s) In Document Exempt

21.060

ZCZC412 550/302236Z ZFF1 ΒT XXXXXCOLOR 295 25X1A T O P S E C R E T 302230Z CITE 25X1A **IMMEDIATE** 3 25X1A BX6712 MISSION PLAN MESSAGE (THREE) STANDBY 2: PB02/120 ON: PCØ3/ØØØ STANDBY 2: PEØ1/000 ON: QB02/000 STANDBY 2: QDØ1/000 D. ADØ1/000 AND PE01/000 PI01/000 AND QD01/000 QHØ1/ØØØ AND RDØ2/ØØØ E. PC03/095 AND PD02/000 QB02/114 AND QC01/000 F. PSR: N/A SESR: N/A SEPNR: N/A SEPC: N/A SESC: N/A BACK-UP ACFT H. PRIMARY ACFT Ø1/Ø4Ø6Z Ø1/Ø3Ø6Z Ø1/Ø541Z Ø1/Ø441Z Ø1/Ø7Ø2Z Ø1/Ø6Ø2Z 75M/3.1

NONE

BT

TOPSECRET

Admin Deom

Approved For Release 2001/07/12: CIA-RDP69B00041R002360DF600241 MISSION #67/2 (CANNED) 21JUL67 LISTING

ROUTE #19 MODIFIED

AVOID DMZ

Comergency base listing to WX.

Suggest FUT PLANNER STAY IN OFFREE TO AVOID REPEAT

OF EMBARRADS INC SITUATION OF TORM

```
Approved For Release 2001/07/12: CIA-RDP69B00041R00230001000 PREVIATED DCOMF GENERATION CHECK LIST
                                                                                  ///CANNED ROUTE CONCEPT///
                       ITEM 25X1A
                                                                                  TIME EXP TIME/L TIME REQ # PER REQ
       RECEIVE MESSAGE
                               VIA TELETYPE ///MISSION ALERT///
                                                                               ₩-28:00 .
                                                                                                           01 EA .NLT H-24:00
           REVIEW PRE-MISSION ACTIVITY CHECK LIST
                                                                               ✓.H-28:00 .
                                                                                                 . 00:30
                                                                                                           01 EA
                                                                                                                  .OIC
           RECEIVE MESSAGE VIA TELETYPE (MP #1) ///ROUTE SELECTION///
                                                                               H-28:00 .
                                                                                                            01 EA
           SELECT MAP STRIP & OVERLAY OF CANNED ROUTE
                                                                              ₩-28:00 .
  25X1A
           OBTAIN CURRENT FLIGHT INFORMATION PUBLICATIONS (2 EA. 9 PIECES)
                                                                                 .H-28:00 .
                                                                                                           01 EA
                                                                                                                  ·PHOTO II
           DELETE RESTRICTED EMERGENCY AIRFIELDS FROM MAIN LIST
                                                                               H-28:00 .
                                                                                                           01 EA
           ZEROX PILOT LET DOWN PLATES & PREPARE PILOT PACKET (2 EA)
                                                                               ✓.H-28:00 .
                                                                                                 . 02:00
                                                                                                           01 EA
          PROVIDE HANGAR & COCKPIT ACCESS ROSTER TO SECURITY (4 EA)
                                                                                √.H-27:30 .
                                                                                                                   .PHOTO II
                                                                                                                                  90835
          RECEIVE MESSAGE
                               /IA 1004 (MP #2) ///COMPLETE WIND FLT PLAN
                                                                               V.H-27:00 .****CP. ****CP .
                                                                                                           01 EA
                                                                                                                  .NLT H-15:00
             (NOTE: FOR 1004 FAILURE, THEN
                                             /IA TELETYPE NLT H-15:00)
25X1A
 ASSIGN INS POINTS
                                 & FILL OUT INS LOAD SHEETS
                                                                               ✓ .H-27:00 .
                                                                                                . 01:00 . 01 EA
                                                                                                                                 11
25X1A (12) ANNOTATE MAP STRIP
                                                                               O.H-27:00 .
                                                                                                . 08:00
                                                                                                                                 12
          START PREPARATION OF ROUTE STUDY MAP
                                                                                √.H-27:00 .
                                                                                                . 02:00
                                                                                                                                 13
     START PREPARATION OF BACK-UP MAPS
                                                                              H-27:00 .
                                                                                                . 02:00
      START PREPARATION OF EMERGENCY MAP (1:15,000,000) & HOLD FOR DCOMI
                                                                               √.H-27:00 .
                                                                                                . 00:30
     PREPARE
                         MESSAGE
                                   (FAA CLEARANCE WHEN CONUS) 25X1A
                                                                              C H-27:00 .
                                                                                                                                 16
     PREPARE AR DATA SHEET & DELIVER TO 903D
                                                                              H-26:00 .
                                                                                                . 00:45
                                                                                                           01 EA .OIC
                                                                                                                                 17
      CHECK INS LOAD SHEET
                                                                                H-26:00 .
                                                                                                . 00:30
                                                                                                           01 EA
                                                                                                                                 10935
          PROVIDE WX WITH EMERGENCY BASES & LET DOWN PLATES
                                                                                 ·H-26:00 .
          PREPARE LET-DOWN PLATES FOR PHOTO COPYING
                                                                               H-26:00 .
                                                                                                . 01:00
                                                                                                           01 EA .PHOTO I
                                                                                                                                 20
          RECEIVE MESSAGE
                               VIA TELETYPE ///EWS & SIP SETTINGS///
                                                                               H-26:00 .
                                                                                                           01 EA
                                                                                                                                 21
     PREPARE COVER MAP ///REGULAR PAPER///
                                                                               H-25:00 .
25X1A
                                                                                                . 00:30
                                                                                                           01 EA
 )
      RECEIVE MESSAGE VIA 1004
                                          ///PACKAGE INFO///
                                                                               -H-25:00 .****CP. ****CP
                                                                                                                 •NLT H-12:30
25X1A
          PUNCH CARDS FOR PACKAGE PROGRAM & PRINT OUT VIA 1004
                                                                                 .H-25:00 .
25X1A RECEIVE MESSAGE
                              VIA TELETYPE (MP #3) ///FINAL DATA FOR MAP STRIP/14-24:00 .
                                                                                                         . 01 EA .NLT H-15:00
      ****CP = NOTIFY COMMAND POST WHEN COMPLETED
```

Approved For Release 2001/07/12 : CIA-RDP69B00041R002300010002-1

ABBREVIATED DCOMF GENERATION CHECK LIST

PAGE

AS OF 25JUN67

///CONTINUED ON NEXT PAGE///

Approved For Release 2001/07/12: CIA-RDP69B00041R0023000100628REVIATED DCOMF GENERATION CHECK LIST - CON'T

///CANNED ROUTE CONCEPT/// ITEM TIME EXP TIME/L TIME REQ # PER REQ REMARKS ATTEND COMMANDER'S INITIAL BRIEFING KH-23:30 .1215. . 01 EA .OIC 1 1. H-23:00 . CHECK ACCURACY OF . 01:00 . OI EA . 2 PROVIDE DCM WITH FUEL LOAD DATA √H-23:30 . . 01 EA .OIC √.H-23:30 . PROVIDE COMMO WITH ROUTE INFO √.H-23:30 . PRE-FLIGHT PROJECTOR EQUIPMENT IN BOTH AIRCRAFT . 00:30 . 01 EA .PHOTO II PROVIDE LOAD SHEET TO INS V.H-23:30 .****CP. ****CP . 01 EA .PHOTO II س PROVIDE 1004 PRINT-OUT TO PACKAGE PERSONNEL V.H-23:30 .****CP. ****CP. 01 EA .PHOTO II PROVIDE CP WITH V.H-22:30 . .NLT H-21:00 PREPARE "'A" CODE SHEET FOR USE IN CP DURING FLIGHT FOLLOWING ✓.H-22:30 . . 00:30 . 01 EA .OIC 25X1A H-22:30 . 120 DCOMI PLOTS SAM SITES ON EMERGENCY MAP . 00:30 . 01 EA . DCOMI 10 25X1A START PREPARATION OF RB GRAPHS 11 _.H-22;00 . . 02:00 . 01 EA OBTAIN EMERGENCY MAP FROM DCOMI & ATTACH TO FRAMES _.H-22:00 . . 01:00 . 01 EA 12 ACCURACY CHECK OF MAP STRIP BEFORE ANNOTATION OF BACK-UP MAP ✓.H-22:00 . . 01:00 . 02 EA . 131430 ANNOTATE BACK-UP MAPS & ATTACH TO FRAMES ///SPECIAL PAPER/// H-21:00 . . 06:00 02 EA . 14 OBTAIN INS COMEBACK COPIES & RE-CHECK WITH FLIGHT PLAN ₩H-20:00 . .NLT H-11:00 PREPARE TAPE RECORDERS H-19:00 1645 *****CP. 00:30 01 EA .PHOTO II 16 OBTAIN COMMO DATA SHEETS FROM COMMO H-17:00 . .NLT H-12:00 17 ATTEND PILOT BRIEFING ///INITIAL/// (WX, DCOMF, DCOMI) ₩-17:00 . . 01:00 . 02 EA .OÌC 18 REMOVE TAPES FROM RECORDER UNTIL FINAL BRIEFING -H-16:00 . . 01 EA .PHOTO II PREPARE COMMO SHEETS FOR FRAME MOUNTING & FOR CHECK LIST BOOK H-16:00 . . 00:30 . 01 EA . 20 25X1A H-16:00 . CONDUCT ROUTE STUDY FOR PILOTS . 02:00 . 01 EA .OIC 21 RECEIVE WX UP-DATE OF 1004 FLIGHT PLAN . 01 EA .AUTO .H-12:00 .****CP. 22 COMPLETE PREPARATION OF RB GRAPHS ·H-12:00 . . 02:00 . 01 EA

AS OF 25JUN67

****CP = NOTIFY COMMAND POST WHEN COMPLETED

Approved For Release 2001/07/12 : CIA-RDP69B00041R00230001000BAREVIATED DCOMF GENERATION CHECK LIST - CON'T

```
///CANNED ROUTE CONCEPT///
                      ITEM
                                                                                  TIME EXP TIME/L TIME REQ # PER REQ
                                                                                                                       REMARKS
                                                                                              . 02:00 . 01 EA .PHOTO I
      PREPARE MATERIALS FOR PHOTO WORK
                                                                                 .H-09:00 .****CP. 00:30 . 01 EA .NLT H-08:30
          FINAL CHECK OF MAP STRIP BEFORE PHOTO COPYING
                                                                                                                                  2
          PHOTO COPY MAP STRIP & PROCESS FILM.
                                                                                 .H-08:30 .****CP. 04:00 . 01 EA .PHOTO I
          PREVIEW FILM STRIP IN BRIEFING ROOM
                                                                                                . 00:30 . 02 EA .OIC
                                                                                 .H-04:30 .
                                                                                 .H-04:00 .
                                                                                                . 00:10 . 01 EA .PHOTO II
                                                                                                                                  5
          RE-SET RECORDERS
                                                                                                . 01:15 . 02 EA .OIC
          ATTEND PILOT BRIEFING ///FINAL/// (DCM, DCOMF, WX, DCOMI)
                                                                                 .H-03:30 .
                                                                                                                                  6
          REMOVE TAPES FROM RECORDER UNTIL DE-BRIEFING
                                                                                                         . 01 EA .PHOTO II
                                                                                 .H-02:00 .****CP. 00:30 . 02 EA .PHOTO I & II
          LOAD DOOMF MATERIAL IN BOTH AIRCRAFT
                                                                                                . 00:45 . 01 EA .PHOTO I
          MOBILE DUTIES
                                                                                 .H-00:40 .
                                                                                                . LAND . 01 EA .OIC
          PROVIDE FLIGHT FOLLOWING ASSISTANCE IN CP DURING FLIGHT
                                                                                 . T.O. .
                                                                                                                                 10
                                                                                 .H+01:30 .****CP. 00:10 . 01 EA .PHOTO II
          REMOVE DOOMF MATERIAL FROM SECONDARY AIRCRAFT
                                                                                                                                  11
          INITIATE COMMO DATA LINK CHECK
                                                                                 .L-01:00 .****CP. 00:30 . 01 EA . AUTO
      12
                                                                                                . 00:40 . 01 EA .PHOTO I
                                                                                 ·L-00:30 ·
      1.3
          MOBILE DUTIES
                                                                                 .L+00:10 .****CP. 00:10 . 01 EA .PHOTO II
                                                                                                                                 14
      14
          REMOVE DOOMF MATERIAL FROM PRIMARY AIRCRAFT
          RE-SET RECORDERS
                                                                                 ·L+00:25 .
                                                                                                . 00:10 . 01 EA .PHOTO II
                                                                                                                                  15
      15
          CONDUCT PILOT DE-BRIEFING ///SENSITIVE/// (WX, DCOMF, DCOMI)
                                                                                 .L+00:45 .
                                                                                                . 00:15 . 02 EA .
      16
          CONDUCT PILOT DE-BRIEFING ///MAINTAINENCE/// (LAC & VENDORS)
                                                                                                . 01:00 . 02 EA .
                                                                                                                                 17
     17
                                                                                 .L+01:00 .
25X1A
          PREPARE MESSAGE ///MISSION REPORT///
                                                                                                . 01:00 . 01 EA .NLT L+03:00
                                                                                 ·L+02:00 .
                                                                                                                                 18
     19
          PACKAGE & DELIVER RECORDING TAPE, FILM STRIP TO SECURITY
                                                                                 .L+02:00 .****CP. 00:30 . 01 EA .II BY L+04:00 19
25X1A
          TRANSMIT SC&DM , PDP8-EDIT DATA VIA 1004 ///MESSAGE
                                                                                                . 01:00 . 01 EA .AUTO
      20
25X1A
                                                                                 .L+04:30 .****CP. VAR
                                                                                                         . 01 EA .NLT L+23:00
                                       ///MESSAGE
                                                                                                                                 21
          TRANSMIT SIP DATA VIA 1004
          SECURE FLIGHT PLANNING AREA
                                                                                 .L+05:00 .****CP.
                                                                                                                                  22
```

ABBREVIATED DCOMF GENERATION CHECK LIST - CON'T

****CP = NOTIFY COMMAND POST WHEN COMPLETED

h

)